




FACTS

A successful installation of LivePicture GO, LivePicture, LivePanel and LivePanel PACK is dependend on the availability of light at the location. Not all locations have sufficient light while plant growth is depended on the so called daylight spectrum. LiveSpectrum is a series of light fittings specially developed to simulate and emulate natural daylight. These can be surface-mounted or recess-fitted.

These LED fixtures have full spectrum colour rendering and are available in various light intensities. The LiveSpectrum luminaires (lighting units) are suitable for mounting on or fixing into ceilings and are equipped with energy-saving long-life LEDs. The LED lights are also dimmable to allow the user to select suitable brightness levels for all LivePicture and LivePanel products.

- Plants need full-spectrum light
- 1000 – 2000 lux
- 10 hours per day
- It may be necessary to make a lighting calculation




## LIVESPECTRUM MOBILIGHT FEATURES

- Bulb colours available from warm to natural white; 2700k, 3000k, 3500k and 4000k
- Excellent replication of natural light temperatures
- Adjustable luminaire with a 3-phase track (surface-mounted)
- 350° horizontally rotatable and vertically 90° adjustable (surface-mounted)
- Easy to attach to ceiling systems (surface-mounted)
- Can be suspended with suspension fitting (surface-mounted)
- Lens and reflector options available to group or spread the light beam
- Luminaires available in white, silver grey and black
- Luminaires can be dimmed (Bluetooth)








## MobiLight Track

Power 14-27W  
Lumen Output 1500-2770lm  
Colour Fastness CRI90+

Light Beams





Controls



Finished




Bulb Colours



## MobiLight R

Power 12-35W  
Lumen Output 1500-4100lm  
Colour Fastness CRI90+

Light Beams





Finishes




Bulb Colours







LivePanel Indoor





| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 2        |
| MobiLight Track 27W                 | On/Off | 1        |



| Requirements    |              | Quantity |
|-----------------|--------------|----------|
| MobiLight R 24W | Excl. driver | 1        |
| Spread Lens     |              | 1        |
| Driver          | On/off       | 1        |




| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 2        |
| MobiLight Track 27W                 | On/Off | 1        |
| Spread Lens                         |        | 1        |




| Requirements    |              | Quantity |
|-----------------|--------------|----------|
| MobiLight R 24W | Excl. driver | 1        |
| Lens Spread     |              | 1        |
| Driver          | On/off       | 1        |







| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 2        |
| MobiLight Track 27W                 | On/Off | 1        |
| Spread Lens                         |        | 1        |



| Requirements    |              | Quantity |
|-----------------|--------------|----------|
| MobiLight R 14W | Excl. driver | 2        |
| Lens Spread     |              | 2        |
| Driver          | On/off       | 2        |




| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 2        |
| MobiLight Track 27W                 | On/Off | 1        |
| Spread Lens                         |        | 1        |





| Requirements    |              | Quantity |
|-----------------|--------------|----------|
| MobiLight R 24W | Excl. driver | 2        |
| Lens Spread     |              | 2        |
| Driver          | On/off       | 2        |






| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 2        |
| MobiLight Track 27W24°              | On/Off | 1        |
| MobiLight Track 27W40°              | On/Off | 1        |





| Requirements       |              | Quantity |
|--------------------|--------------|----------|
| MobiLight R 28W24° | Excl. driver | 2        |
| Driver             | On/off       | 2        |

## LivePanel PACK 2 x 3






| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 2        |
| MobiLight Track 27W assym           | On/Off | 1        |




| Requirements       |              | Quantity |
|--------------------|--------------|----------|
| MobiLight R 28W24° | Excl. driver | 2        |
| MobiLight R 28W60° | Excl. driver | 1        |
| Driver             | On/off       | 3        |

LivePanel PACK 3 x 2






| Requirements                        |        | Quantity |
|-------------------------------------|--------|----------|
| 3-Phase Track white   black   grey  | 1m     | 1        |
| Starter white   black   grey        |        | 1        |
| End Cap white   black   grey        |        | 1        |
| Mounting Block white   black   grey |        | 3        |
| MobiLight Track 27W24°              | On/Off | 3        |
| MobiLight Track 27W60°              | On/Off | 2        |







| Requirements       |              | Quantity |
|--------------------|--------------|----------|
| MobiLight R 28W24° | Excl. driver | 4        |
| MobiLight R 28W60° | Excl. driver | 3        |
| Driver             | On/off       | 7        |

## LivePanel PACK 6 x 4





Use the Molto Luce Smart APP to control the lighting system. Whether a single luminaire, group or the entire network, the app allows you to programme timing schedules to suit.







# MOBILANE

BUILDING GREEN

## Lighting for Vertical Greenery

### Your Mobilane Checklist

|                          |                          |                      |
|--------------------------|--------------------------|----------------------|
| <input type="checkbox"/> | Project Name             | <input type="text"/> |
| <input type="checkbox"/> | Location                 | <input type="text"/> |
| <input type="checkbox"/> | Mobilane Account Manager | <input type="text"/> |
| <input type="checkbox"/> | Expected delivery date   | <input type="text"/> |

|                          |  |                      |
|--------------------------|--|----------------------|
| <input type="checkbox"/> | Living Wall Dimensions<br>(Length x Height)              | <input type="text"/> |
| <input type="checkbox"/> | Ceiling Type<br>e.g. Concrete   Wood   Suspended Ceiling | <input type="text"/> |
| <input type="checkbox"/> | Ceiling Height (in cm)                                   | <input type="text"/> |
| <input type="checkbox"/> | 230vac present?<br>(Indicate location in Site Sketch)    | <input type="text"/> |

Site Sketch:

|                          |   |                      |
|--------------------------|---|----------------------|
| <input type="checkbox"/> | Type of luminaire<br>(Recessed/Track)     | <input type="text"/> |
| <input type="checkbox"/> | Luminaire finish<br>White   Black   Grey  | <input type="text"/> |
| <input type="checkbox"/> | Bulb colour<br>2700   3000   3500   4000K | <input type="text"/> |
| <input type="checkbox"/> | Control<br>On/Off   DALI   Bluetooth      | <input type="text"/> |
| <input type="checkbox"/> | Other information:                        | <input type="text"/> |

|                          |                                    |                      |
|--------------------------|------------------------------------|----------------------|
| <input type="checkbox"/> | Amount of Lux<br>(standard 1000lx) | <input type="text"/> |
|--------------------------|------------------------------------|----------------------|

|                          |  |                      |
|--------------------------|--|----------------------|
| <input type="checkbox"/> | Room function:<br>Meeting room,<br>Entrance etc. | <input type="text"/> |
|--------------------------|--|----------------------|

### Choose your lighting options


|                          |                            |  |                          |                                       |                      |
|--------------------------|----------------------------|--|--------------------------|---------------------------------------|----------------------|
| <input type="checkbox"/> | Recessed or Track          | <input type="text"/>                       | <input type="checkbox"/> | Degree Bundle                         | <input type="text"/> |
| <input type="checkbox"/> | Finish<br>White/black/grey | <input type="text"/>                       | <input type="checkbox"/> | Control<br>On-Off/DALI/Bluetooth      | <input type="text"/> |
| <input type="checkbox"/> | Power                      | <input type="text"/> W <sub>(attage)</sub> | <input type="checkbox"/> | Accessory(s)<br>Spread Lens/Honeycomb | <input type="text"/> |
| <input type="checkbox"/> | Light colour               | <input type="text"/> K <sub>(elvin)</sub>  |                          |                                       |                      |
| <input type="checkbox"/> | Quantities                 | <input type="text"/>                       |                          |                                       |                      |

### Choose your track options

|                          |                                 |                         |
|--------------------------|---------------------------------|-------------------------|
| <input type="checkbox"/> | Length of Track                 | <input type="text"/> cm |
| <input type="checkbox"/> | Finish<br>White/black/grey      | <input type="text"/>    |
| <input type="checkbox"/> | Ceiling Mounted<br>or suspended | <input type="text"/>    |

Site Sketch:

Light Beam Spread



Bulb colours



Finished



Controls



[WWW.MOBILANE.COM](http://WWW.MOBILANE.COM)